



# HP Pavilion 15-ca2073cl Battery Replacement

This guide outlines how to remove HP Pavilion 15-ca2073cl battery.

Written By: Siron Ren



## INTRODUCTION

Overtime, the battery in a device will degrade and lose functionality. If the battery in your device is degrading, you may find that your device won't charge or fails to hold a charge. In addition, you may notice that your device doesn't turn on. If you suspect that the battery is failing in your device, it may be time to replace it.

This guide outlines how to remove HP Pavilion 15-ca2073cl battery. You will need to open the device's back panel as the battery is located inside the case.

## TOOLS:

- [iFixit Opening Tools \(1\)](#)
- [iFixit Opening Picks set of 6 \(1\)](#)
- [Jimmy \(1\)](#)
- [Phillips #00 Screwdriver \(1\)](#)


## Step 1 — Back Cover



! Before beginning, make sure the laptop is completely turned off by pressing the off button and waiting for the screen to turn black.

- Flip the laptop over.
- Remove all the 6.5mm screws (black) and the 4.8mm long screws (silver) using the Phillips #00 screwdriver.

## Step 2



- Use an iFixit opening tool to wedge in between the case and the body of the laptop.
- Remove the bottom case from the body.

## Step 3 — Battery



- Remove six 4.8mm screws (silver) using the Phillips #00 screwdriver.

To reassemble your device, follow these instructions in reverse order.