




HP Pavilion x360 m3-u103dx Battery Replacement

How to replace the battery for the HP Pavilion x360 m3-u103dx.

Written By: Meaghan Hyatt



INTRODUCTION

In this guide you will be required to remove the keyboard from the device in order to remove the battery. You will need to use a iFixit Pro Tech Toolkit.

This task requires patience and attention to detail.

TOOLS:

- [Phillips #00 Screwdriver](#) (1)
- [Metal Spudger](#) (1)

Step 1 — Battery



- Power off device.
- Flip the laptop over.

⚠ Working on your device while its powered on may cause damage to your device.

Step 2



- Remove rubber foot closest to computer hinge with a Metal Spudger.

Step 3



- Remove all screws from base using a Phillips head 00 screwdriver.
 - 5 Phillip 2.4 x 5.7 mm screws.
 - 5 Phillips 2.8 x 5.0 mm screws.

Step 4



- Open computer and pry open keyboard panel using the Metal Spudger. Apply little pressure then increase until keyboard pops away from motherboard.

 Be careful not to pull or disconnect ribbon cables first.

Step 5




- Gently lift the keyboard on the mouse pad side, but do not remove.
⚠ The keyboard is still connected by three ribbon cables.
- Remove three connected ribbon wires connecting keyboard to frame by gently disconnecting them from the motherboard.

Step 6



- Use a Phillips #00 screwdriver to remove six screws around the battery.
● 6 Phillips 2.0 x 4.6 mm screws.

Step 7



- Gently lift the battery up and away from the casing.
- Carefully remove the battery from its connecting port.

To reassemble your device, follow these instructions in reverse order.