



Hover-1 Superstar Battery Replacement

This guide will assist in removing the battery of the Hover-1 Superstar hover board.

Written By: Keegan



INTRODUCTION

The battery for the Hover-1 Superstar can cause many different problems when it is faulty or not working. This guide will show you the steps that go along with replacing the battery.

TOOLS:


- [Phillips #1 Screwdriver \(1\)](#)

Step 1 — Bottom Case





- Flip your Hover-1 Superstar device upside down.
- Using a Phillips #1 screwdriver, remove all twenty of the 18mm screws holding the case onto the device.
- Remove the bottom case. Be careful of the connector holding the case and the device together.

Step 2




- Locate the cable connected to the front lights.
- Pull apart the wires until the black clip separates.

Step 3 — Battery




- Locate the four 14mm screws securing the battery bracket.
- Remove the screws with a Phillips #1 screwdriver.

Step 4



- Pull and disconnect the cable connector that is connected to the battery.

Step 5



- Pull on the battery until it separates from the hover board. You may need to use some force.
 - ⚠ Be sure the battery is disconnected before performing this step to avoid electrocution.
 - ⓘ There will be a loud crack when the battery is removed. This is normal due to the adhesive on the back of the battery.
- Pull the battery out of the hoverboard. Move wires away from the battery if necessary.

To reassemble your device, follow these instructions in reverse order.