




Hover-1 Titan Battery Replacement

How to replace the Hover-1 Titan battery.

Written By: Jessica Ouyang



INTRODUCTION

If your Hover-1 Titan battery will no longer hold a charge or your device will not turn on, use this guide to remove and replace your battery.

TOOLS:

- [Phillips #1 Screwdriver \(1\)](#)

Step 1 — Bottom Right Panel



- Flip the hoverboard so the bottom is facing up.
- ⓘ The right side is the side that has the power button. There is also an "R" on the metal plate underneath the battery.

Step 2





- Using a Phillips #1 screwdriver, remove the two 14 mm screws closest to the center of the hoverboard.
- Using a Phillips #1 screwdriver, remove the four 12 mm screws located in the middle of the panel.
- Using a Phillips #1 screwdriver, remove the two 15 mm screws located closest to the wheel.

Step 3




- Grip the bottom right panel and lift to remove it.

Step 4 — Battery





- Unplug the battery from the gyroscope/motherboard by holding the yellow connector and pulling apart.

Step 5






- Remove the bundle of wires from the clip on the top of the battery.

Step 6



- Using a Phillips #1 screwdriver, remove the four 14 mm screws that hold the battery on the device.

Step 7



- Remove the battery out of the hoverboard by lifting the battery then sliding it out from under the wires.

To reassemble your device, follow these instructions in reverse order.