




Inspiron 7359 2-in-1 Fan Replacement

This guide will help to replace the fan on an Inspiron 7359 2-in-1.

Written By: Dominique



INTRODUCTION

This guide will walk you through how to replace the CPU fan. Before you start be sure you remove the HDD first to make it easier to remove the CPU fan.

TOOLS:

- [Small Plastic Spudger](#) (1)
 - [Phillips #0 Screwdriver](#) (1)
 - [iFixit Opening Tools](#) (1)
 - [Anti-Static Wrist Strap](#) (1)
 - [iFixit Precision Bit Driver](#) (1)
 - [Metal Spudger](#) (1)
-



Step 1 — Disassembling the Inspiron 7359 2-in-1



 Turn off device before starting.

- Turn the laptop upside down with the logo facing the surface of the table.

Step 2




- Use a Phillips #0 screwdriver to remove the ten 8mm screws from the back case of the laptop.

Step 3




- Use a spudger to separate the back cover from the laptop.
- ⓘ Start from one corner and work your way around the edge of the cover.
- ⚠ Be careful not to bend or crack the back cover.

Step 4





- All hardware components should be exposed.

Step 5 — Hard Disk Drive




- Unscrew three 3mm screws with a Phillips #0 screwdriver and remove them.
- These screws hold the hdd and removing these screws will make it easier to remove it.

Step 6




- Lift the hard drive from the left side. Be careful not pull on it.
- Pull the SATA cable that's connect to the hard drive and then carefully place the cable on the side.

Step 7 — Fan




- Carefully pull the fan adapter labelled one.

Step 8



- Pull the wire from the hook to make it easier to take the whole fan out.

Step 9



- Remove one 5mm screw using the Phillips screw.
- After the screw is extracted use your hands and carefully take the fan out.

To reassemble your device, follow these instructions in reverse order.