



Kindle Fire HD Battery Replacement

Use this guide to help you replace the Battery in an Amazon Kindle Fire HD 7".

Written By: Matthew Hodgdon



INTRODUCTION

Make sure your device is powered off before you begin. Then place the device screen down.

*Caution: Some devices may have tape holding the back on.

TOOLS:

- [iFixit Opening Tools](#) (1)
- [Phillips #00 Screwdriver](#) (1)
- [T5 Torx Screwdriver](#) (1)
- [Tweezers](#) (1)

PARTS:

- [Kindle Fire HD 7" \(2012, 1st Gen\) Battery](#) (1)


Step 1 — Open the Kindle



- Wedge a plastic opening tool into the lower right corner of the Kindle Fire.
- Lift up until you hear a slight popping noise.
- Repeat along the perimeter of the device to release the clips securing the case halves to each other. Remove the back cover.

⚠ The Kindle Fire could possibly have tape on the inside. Check for tape before removing the back cover.

Step 2



- If your device has copper tape attached to the battery, carefully peel it off the battery.

Step 3



- Locate the antenna cable connector which is easier to find if you look for the gold tipped black wire that surrounds the battery.
- Lift and pull up the power connector cable that surrounds the battery

Step 4 — Remove Screws



- Locate and unscrew the four 3 mm screws using the Phillips #00 screwdriver.
- Unscrew the one T5 Torx screw using the special T5 Torx screwdriver head.
 - The 2 mm T5 Torx screw is located on the motherboard near the antenna clip.
 - If you aren't equipped with the T5 Torx screwdriver, you could try using your fingers, although it will be very difficult to remove it.

This document was generated on 2019-09-21 05:12:13 AM (MST).

Step 5 — Detach Cable



- Detach the plastic piece that connects the wires to the motherboard using the plastic opening tool.

Step 6



- Lift the battery out of the device with your finger or the plastic opening tool.

To reassemble your device, follow these instructions in reverse order.