




# Lenovo IdeaTab A2109 Camera Assembly Replacement

Replace the front and rear cameras in your Lenovo IdeaTab A2109.

Written By: Abigail Bertholf



## INTRODUCTION

Use this guide to replace the front and rear cameras.

### TOOLS:

- [Tweezers \(1\)](#)
- [Phillips #00 Screwdriver \(1\)](#)
- [iFixit Opening Tools \(1\)](#)

## Step 1 — Camera Assembly



- Look at the back of the tablet and locate the speakers on top of the rear cover.
- Locate the small indentation in the plastic cover that runs across the top of the device.
  - Wedge the plastic opening tool in this indentation, under the middle of the cover as shown.
- Pry up and push to remove the cover.

## Step 2




- Remove the following two screws:
  - M3.0 x 3.0 mm #00 phillips screws (black)

## Step 3



- Pry open the front and rear faces using a plastic opening tool.
- It may take a little force to separate the front and rear faces of the device.
- Slide the plastic opening tool to one corner.
- Place another plastic opening tool into the gap and slide it to the opposite corner as shown.
- Pull the rear cover up and back to separate it from front face of the device.

## Step 4



- Slide the rear camera ribbon from the system board.
- Pull up on the black plastic lock on the system board for the front camera and slide the ribbon out.
- Now, you are ready to remove the front and rear facing cameras.

To reassemble your device, follow these instructions in reverse order.