




# Lenovo Yoga Tablet 10 Headphone Jack Replacement

This guide will show you how to replace the headphone jack on your Lenovo Yoga Tablet 10.

Written By: Mahima



## INTRODUCTION

Before you proceed with this guide, you should know how to remove the back cover.

### TOOLS:


- [iFixit Opening Tools](#) (1)
- [Spudger](#) (1)

## Step 1 — Back Cover




- Remove the two Phillips #000 screws.
  - *i* These screws are located behind the stand for the device.
  - *i* Our device did not include these screws.

## Step 2




- Use a plastic iFixit opening tool to pry the edges of the back case loose by placing it in between the edge of the cover and the screen.
- **⚠** Do not immediately attempt to remove the back of the case without attempting Step three, or you risk snapping the back cover.

## Step 3




- Use the spudger to reach into the center of the device and pry off the back case by giving it a light force upwards.

## Step 4 — Headphone Jack




- Remove the headphone jack cover with tweezers by grabbing it and pulling directly up and away from the device.

## Step 5



- Remove the two 3.5mm screws using the Phillips #00 Screwdriver.

## Step 6



- Disconnect the headphone jack from the motherboard by placing the spudger in between the connections and motherboard and pushing up towards you.
- Pull the wire towards the headphone jack to disconnect it.

## Step 7



- Use tweezers to remove the headphone jack by pulling it up and towards you.

To reassemble your device, follow these instructions in reverse order.