



MSI GT70 MS-1763 Screen Replacement

Step by step guide on replacing the screen on your MSI GT70 MS-1763.

Written By: Cruz Uribe



INTRODUCTION

If your screen is malfunctioning, showing a blue screen then you should follow these steps on our guide to help replace your screen. You will also need a Jimmy and a screw driver to replace the screen.

TOOLS:

- [Jimmy](#) (1)
- [Phillips #0 Screwdriver](#) (1)

Step 1 — Battery



- Power off the laptop and turn it over.

Step 2



- Release the safety latches that hold the battery in place. The left latch will stay moved up, while the right side is spring activated and will have to be held.

Step 3



- While holding up the left latch, use a Jimmy and slide the old battery out of its compartment.

Step 4 — Screen



- Remove the rubber guards covering the two 3mm screws on the bottom of the screen and remove the screws with a Phillips #0 screwdriver.

Step 5



- Using a Jimmy, remove the outside cover around the screen.

Step 6



- Remove the six Phillips #0 screws holding the screen in place.
- Separate screen from the assembly with a Jimmy.
- Remove the display cable from its connector on the back of the screen.
- Remove the screen.

To reassemble your device, follow these instructions in reverse order.

This document was generated on 2020-04-06 04:32:11 AM (MST).

