



Mac Pro First Generation and 2nd Generation Teardown

OFFICIAL Apple teardown pdf for Mac Pro 1,1 & Mac Pro 2,1 COMPLETE teardown. Mac Pro 2006, 2006 Mac Pro

Written By: topher

INTRODUCTION

(I used to work for Apple)

OFFICIAL Apple teardown pdf for Mac Pro 1,1 & Mac Pro 2,1 COMPLETE teardown. Mac Pro 2006, 2006 Mac Pro

Download the pdf - it has internal links to each section of repair!



TOOLS:

- Long-handled magnetized Phillips 1 screwdriver (1)
- Long-handled, magnetized 3 mm flathead hex screwdriver (1)

Specialized tool. You REQUIRE it to remove anything from the processor heat sink and beyond (see instructions before beginning your repair)
<https://www.amazon.com/Bondhus-15356-T-Handle-ProGuard-Finish/dp/B002O0FSD8>

- Short-handled magnetized 2.5 mm hex wrench (1)
- Flat-blade Screwdriver (1)
- Magnetized jeweler's #1 Phillips screwdriver (1)
Magnetized jewelers Phillips #1 screwdriver
- Magnetized jeweler's Phillips #0 screwdriver (1)

This document was generated on 2019-12-09 11:49:20 PM (MST).

(1)

- [Jeweler's flat-blade screwdriver](#) (1)
- [Socket Wrench](#) (1)

I'll check the size if I remember, but it's small.

- [Apple Mac Pro wrench \(part number 922-8025\)](#) (1)

I don't remember for sure, but I don't remember actually needing this, if you're careful.

- [Needlenose Pliers](#) (1)
- [Scissors or wire cutters](#) (1)
- [Xacto Knife, or Razor Blade](#) (1)
- [Spudger](#) (1)

[https://eshop.macsales.com/item/NewerTech/TOO_LBLKSTK/?](https://eshop.macsales.com/item/NewerTech/TOO_LBLKSTK/?utm_source=google&utm_medium=shoppingengine&utm_campaign=googlebase&gclid=EAlaIQobChMI4fiW6fLn4QIVS0sNCh3sUQVCEAQYASABEgK3rPD_BwE&gclsrc=aw.ds)

[utm_source=google&utm_medium=shoppingengine&utm_campaign=googlebase&gclid=EAlaIQobChMI4fiW6fLn4QIVS0sNCh3sUQVCEAQYASABEgK3rPD_BwE&gclsrc=aw.ds](https://eshop.macsales.com/item/NewerTech/TOO_LBLKSTK/?utm_source=google&utm_medium=shoppingengine&utm_campaign=googlebase&gclid=EAlaIQobChMI4fiW6fLn4QIVS0sNCh3sUQVCEAQYASABEgK3rPD_BwE&gclsrc=aw.ds)

- [Kapton Tape](#) (1)

You can also use some other low to medium adhesive strength - or none at all if you're careful.

- [Small mirror](#) (1)

Not REALLY necessary, but can be helpful.

- [Soft Cloth](#) (1)

Soft cloth (for protecting the enclosure from scratches) - Not necessary, but a good idea.

Step 1 — Mac Pro First Generation and 2nd Generation Teardown



- Download the pdf - it has internal links to each section of repair!