



Motorola Droid Turbo 2 Battery Replacement

Use this guide to replace your battery.

Written By: Chisi Amanda Xiong



INTRODUCTION

Use this guide to replace a dead or dying battery for your Motorola Droid Turbo 2.

TOOLS:

- Tweezers (1)
- Spudger (1)
- SIM Card Eject Tool (1)
- iFixit Opening Tools (1)
- iFixit Opening Picks set of 6 (1)
- T4 Torx Screwdriver (1)

PARTS:


- [Motorola Droid Turbo 2 Replacement Battery \(1\)](#)
- [Motorola Droid Turbo 2 Rear Cover Adhesive \(1\)](#)

Step 1 — Battery



- Using your fingers, carefully remove the black tape from the battery.
- *(i)* Try not to rip the tape as you will use it on the new battery.

Step 2




- Remove two 4.0 mm T4 Torx screws securing the metal battery bracket.
- Remove the metal bracket.

Step 3



- Use the angled tweezers to disconnect the small connector near the bottom right corner of the battery.

Step 4



- Using a plastic opening tool, unlatch the small black ribbon on the upper right corner of the battery.

Step 5



- Reheat the iOpener and apply it to the battery to help soften the adhesive holding it to the display assembly.
- Use an old credit card, opening pick, or other flat plastic pry tool to carefully pry out the battery from the adhesive holding it in place.

 Don't deform or puncture the battery, or it may leak dangerous chemicals or catch fire.

To reassemble your device, follow these instructions in reverse order.