



Motorola Razr V3 Camera Replacement

This guide will show you how to install the camera in a Motorola Razr V3.

Written By: Christian



INTRODUCTION


This guide will show you how to install the Motorola Razr V3 camera. You may need to install a new camera if the camera doesn't show any picture or otherwise does not work.

[video: <https://www.youtube.com/watch?v=kZk-35hThDk>]

TOOLS:


- [iFixit Opening Tools](#) (1)
- [T5 Torx Screwdriver](#) (1)
- [Tweezers](#) (1)

Step 1 — Battery



- Remove the back cover by pressing down the silver button.
- Pull the cover away from the phone.

Step 2



- Remove the battery by pushing down on the top and pulling it away from the phone, similar to the cover.

Step 3 — Upper Casing



- Use tweezers to pry off all four rubber screw covers from the inside face, pulling them towards you.
- *i* Our phone is missing the two left screw covers, be careful not to lose yours too!

Step 4



- Remove the four T5 Torx screws that were underneath the rubber covers.


Step 5



- Use the plastic opening tool to pry the top cover away from the phone.

(i) The side buttons on the phone may fall out when the top cover is separated from the phone. They can easily be put back by placing them in their original spot.

Step 6 — Camera



- Use tweezers to flip up the ZIF tab on the camera ribbon cable socket.
- Gently pull the camera ribbon cable out of the ZIF socket.

Step 7



- Using a pair of tweezers gently grab and remove the camera from the phone.

To reassemble your device, follow these instructions in reverse order.