



Motorola V190 Display Screen Replacement

Shows how to replace the display screen for a Motorola V190 flip phone.

Written By: Michael Pollock



INTRODUCTION

If your Motorola V190 cellular phone screen does not display any image, is cracked, or has broken pixels, follow this guide to replace the display screen. The display screen shows menus, videos, text messages, and your call history.

Make sure to power down your phone before beginning.

TOOLS:

- [TR6 Torx Security Screwdriver](#) (1)
- [iFixit Opening Tools](#) (1)
- [Soldering Iron](#) (1)
- [Precision Tweezers Set](#) (1)

Step 1 — Display Screen



- Remove the four 6.3mm TR6 Torx screws surrounding the screen.
- Use the iFixit opening tool to separate the casing.
- *(i)* To further separate the casing, start at the top of the screen, and run the opening tool along the edges.
- Remove the face plate by pulling it from the top hinge.

Step 2




- Use the soldering iron to separate the ribbon from the phone.

Step 3




- Use the iFixit opening tool to remove the screen from the plastic casing .

Step 4



- Use the precision tweezers set to remove the black rectangular piece from the phone casing.

Step 5



- Use the precision tweezers set to remove the rectangular ribbon from the green display board.

Step 6



- Remove the display screen from the phone.

To reassemble your device, follow these instructions in reverse order.