



# Nokia Asha 201 Screen Replacement

This guide details in steps how to take replace the screen of a Nokia Asha 201.

Written By: Amanda Tresgallos



---

## INTRODUCTION

This guide provides a number of steps needed to follow in replacing the screen of a Nokia Asha 201. The Nokia Asha 201 is a single-sim budget phone added to the Nokia Asha family released in Q4 2011. This is not be confused with the Nokia Asha 200 which is a double sim version of the former, however the screen replacement steps are the same.



### TOOLS:

- [Phillips #0 Screwdriver](#) (1)
  - [iFixit Opening Tools](#) (1)
-

## Step 1 — Screen



- Remove back cover of device by pressing firmly and sliding the cover off.

## Step 2



- Using your finger, lift up on battery to remove from the device.

### Step 3



- Using a screwdriver, remove the two screws from the back case.

### Step 4



- Pry off the front case using a iFixit opening tool.




## Step 5



- Remove the Keyboard with your hands.

## Step 6



- Remove the four screws pictured here.

## Step 7



- Using the iFixit opening tool, separate the screen from motherboard.

## Step 8



- Unplug your old screen from your phone, unpack your new one and gently plug in the new screen. Make sure you plug in the screen just like the old one was placed in the phone.

## Step 9




- After plugging in the new screen put back the screen onto the motherboard.

## Step 10



- Use a philips #00 screwdriver to put back the four 3.5 mm screws trays pictured here.

## Step 11



- Using your fingers place the keyboard back like in the picture.

## Step 12



- Using your fingers and the Phillips opening tool reposition and adjust the front case onto the phone.



## Step 13



- Using the Phillips #0 screwdriver, screw back in the two screws to the back case.

## Step 14



- Using your fingers put back the battery in the back of the phone properly.

## Step 15



- Slide back in the phone cover to the back of the device.