



Oculus Rift CV1 Facial Interface Replacement

How to remove foam facial interface for Oculus Rift CV1 headset.

Written By: Kyle Anderson



INTRODUCTION

This is the foam component of the headset that touches the user's face. The interface also includes the frame with the attached lycra. You will need the iFixit opening tool and a T3 screwdriver for this replacement.

TOOLS:

- [Spudger](#) (1)
- [T3 Torx Screwdriver](#) (1)

Step 1 — Facial Interface



- Pull firmly from the top of the headset facial interface to remove the foam frame.

Step 2



- Remove the six T3 4mm screws from the top and bottom edges of the case.

Step 3



- Insert the spudger underneath the edge of the lens on the left or right side.
- Slide the spudger upwards and around the edge of the frame to undo the tabs underneath.
- Repeat for the other side of the frame.

Step 4



- Lift up the frame to see a tab hidden underneath the lycra mesh along the edge of the lens.
- Pull up on the tab with the spudger.
- Repeat for the corresponding tab on the other lens.

Step 5



- Lift up on the plastic frame around the lens.
- Slide a finger around the inside edge, pulling outward from the center of the lens to release the other tabs.
- Repeat for the frame on the other lens.

Step 6



- Pull up along the outer frame.
- Remove the facial interface.

To reassemble your device, follow these instructions in reverse order.