



# POLAR CADENCE SENSOR BLUETOOTH® SMART

## Battery replacement

This instruction shows how to change the battery on a POLAR CADENCE SENSOR BLUETOOTH® SMART.

Written By: Sebastian Stechl



This document was generated on 2020-04-05 02:44:23 AM (MST).

## INTRODUCTION

Polar is producing fine gear for athletes giving them the information about their training. Usually only delivered Polar software lacks of updates but with the cadence Sensor same as the speed sensor, Polar managed to make a simple battery change a mess. I'll show you how to successfully change the battery of the POLAR CADENCE SENSOR BLUETOOTH® SMART.

## Step 1 — The sensor




- Removed Cadence Senosor from frame

## Step 2 — Cutting open the Sensor




- Either use hacksaw or Dremel to cut open downside of the sensor. Use the curve of the body for guidance.

### Step 3 — Behind the circuit board lies the...




- After cutting the downside, sensor can easily be opened. Remove circuit board with care not to break the pin. Remove copper clamp with tweezers.

### Step 4 — Replacing the battery



- Replace battery

## Step 5 — First test of the new battery



- Move magnet close to diode. Flashing indicates successful replacement

## Step 6 — Gluing it up



- Glue it up (maybe nicer than I did)

## Step 7 — 2 Function test



- Second functional test with glued chassis

To reassemble your device, follow these instructions in reverse order