



Razer Blade Stealth (2018) Battery Replacement

This guide outlines how to disconnect the battery on the Razer Blade Stealth 2018.

Written By: Ethan Schlocker



INTRODUCTION

This guide outlines how to remove the lithium-ion battery in the Razer Blade Stealth 2018. Battery replacement may be necessary if the battery is not charging, not powering the computer, swollen, leaking, or not lasting as long as you would like. Some tools are required for this replacement.

TOOLS:

- [T5 Torx Screwdriver](#) (1)
- [Phillips #00 Screwdriver](#) (1)
- [Small Plastic Spudger](#) (1)

Step 1 — Battery



⚠ Ensure the laptop is fully powered off before beginning!

- Use a Torx T5 screwdriver to remove the eight, 3mm screws on the bottom cover of the laptop.
- Whenever removing screws from the device, remember to save and label them.


Step 2



- Remove the bottom cover of the laptop by sliding it away from the hinge.


⚠ Do not force the cover up!

Step 3




- Gently disconnect the battery from the motherboard by lifting up on the connector.

Step 4



- Use a Phillips #00 screwdriver to remove the six, 5mm screws securing the battery.

Step 5



- ⓘ Remove any tape attached to the battery.
- Use the plastic spudger to pry out the battery.

To reassemble your device, follow these instructions in reverse order. If you are replacing the battery, safely dispose of the old battery according to your local hazardous waste disposal regulations.