



Samsung Galaxy A3 2016 Back Cover Replacement

This guide shows you how to replace the back cover of your Galaxy A3 (2016).

Written By: Dominik Schnabelrauch



INTRODUCTION

Use this guide to replace the back cover of your Galaxy A3 (2016).



TOOLS:


- [iOpener](#) (1)
- [Suction Handle](#) (1)
- [iFixit Opening Picks set of 6](#) (1)
- [Plastic Cards](#) (1)



PARTS:

- [Tesa 61395 Tape](#) (1)

Step 1 — Back cover



- Start by switching off your phone.
- [Take an iOpener](#) to heat up and soften the glue behind the back cover.
- Lift the bottom part of your back cover with a suction handle and insert an opening pick.

Step 2



- Slide the opening pick up to the rear camera to separate the back cover from the frame.

Step 3



- Insert a second opening pick and move around the other corner at the bottom part of the back cover.

Step 4



- Move the second pick along the left side of the back cover to loosen the adhesive.
- Move around the upper left corner and loosen the adhesive above the rear camera.
- After loosening all the edges and sides of the back cover [use an iOpener](#) to loosen the adhesive underneath the center of it.

Step 5



- Insert a plastic card at the bottom and slide it underneath the back cover.
- Separate the glue until you reach the rear camera.
- Now you can slowly lift up the back cover and finally remove it.

To reassemble your device, follow these instructions in reverse order.