# Samsung Galaxy Note 10.1 2014 Battery Replacement

Use this guide to replace a nonfunctional battery in your Samsung Galaxy Note 10.1 2014 edition.

Written By: Joseph Rasico

INTRODUCTION

This guide will teach you how to replace a nonfunctional battery in your Samsung Galaxy Note 10.1 2014 edition.

TOOLS:

- Metal Spudger (1)
- Phillips #000 Screwdriver (1)
- Black Nylon Spudger (1)

PARTS:

- Galaxy Note 10.1 (2014) Battery (1)

This document was generated on 2019-09-20 01:25:38 AM (MST).

www.iFixit.com

Step 1 — Case

- Using the nylon spudger or plastic opening tool along the edges of the screen, separate the back case off of the device.

- (i) If possible, consider using the black nylon spudger for a gentler separation.

Step 2 — Battery

- Place your finger on the thin black bar at the end of the ribbon tape and flip each one up.

- Gently pull the ribbon tape on the battery away from the bar. Repeat this process for the second ribbon tape.

This document was generated on 2019-09-20 01:25:38 AM (MST).

Step 3

- Remove the six 3mm screws around the battery with the Phillips PH000 screwdriver.

Step 4

- Lift up the battery from the bottom and situate the black nylon spudger underneath the battery.

- Use the black nylon spudger to disconnect the multi-colored wires from the rest of the device.

This document was generated on 2019-09-20 01:25:38 AM (MST).

To reassemble your device, follow these instructions in reverse order.

This document was generated on 2019-09-20 01:25:38 AM (MST).