




Sony Ericsson Xperia Play Touch Screen Glass Digitizer Replacement

Written By: ZFix



INTRODUCTION

If you touchscreen / digitizer is broken or not working, with this manual we will show you how to replace it.

[Please SUBSCRIBE to my channel ツ](#)




[video: <http://youtu.be/UPH9u2nY6dA>]



TOOLS:


- [Phillips #0 Screwdriver](#) (1)
- [iFixit Opening Tools](#) (1)

Step 1 — Touch Screen Glass Digitizer




- Remove the battery cover and the battery.
- Unscrew the 7x black screws and 6x silver screws.
- Remove the rear bezel.

Step 2




- after removing the 2x black philips screws, use a plastic tool to disconnect the main flex cable connector.
- Disconnect the gaming keyboard flex cable.

Step 3




- Remove the motherboard and the gaming keyboard.

Step 4




- Remove the 4x philips screws and the small black sticker on the corner.
- Disconnect the touchscreen flex cable connector.
- Disassemble the front bezel.

Step 5




- To separate the touchscreen from the base bezel use hot air and plastic tools.

Step 6



- Use double side adhesive tape to assemble the touch screen.

Step 7



- That's all.
 - .
 - Did you do it successfully?
- ☒ [Please SUBSCRIBE to my channel ツ](#)

To reassemble your device, follow these instructions in reverse order.