




# Sony Xperia Z1 Compact Battery Replacement

Sony Xperia Z1 Compact Battery Replacement.

Written By: kinan badr



## INTRODUCTION

The Battery of the phone can become worn with continued use. This guide will show you how to remove the Battery of Sony Xperia Z1 Compact.

### TOOLS:

- [Suction Handle \(1\)](#)
- [iFixit Opening Tools \(1\)](#)
- [Heat Gun \(1\)](#)
- [JIS #00 Screwdriver \(1\)](#)

## Step 1 — Back Cover



- Heat along the edges of the back cover using a heat gun to soften the glue.

## Step 2



- Attach the small suction cup to the back cover near the bottom of the phone.
- Pull up on the suction cup and insert the plastic opening tool in between the back cover and the rest of the phone.

## Step 3




- Move the spudger around the edge of the back cover to separate it from the black adhesive.
- Separating the back cover from the rest of the phone ruins the adhesive which makes it no longer waterproof.

## Step 4 — Battery




- Carefully disconnect the battery from the logic board by using the plastic spudger as a lever.

## Step 5



- Remove the single 1 x 3.0 mm screw holding the battery in using the JIS #00 screwdriver.


## Step 6



- Pry the battery up from the ends using the plastic spudger until the battery pops out of the enclosure.

## Step 7

- Remove the battery from the device



To reassemble your device, follow these instructions in reverse order.