



# Toshiba Portege R835-P56X Screen Replacement

Removal of the screen on the Toshiba Portege R835-P56X

Written By: Anay Sanchez




## INTRODUCTION

In this guide we will remove the screen from a Toshiba Portege R835-P56X

### TOOLS:

- Tweezers (1)
- [iFixit Opening Tools](#) (1)
- [Phillips #0 Screwdriver](#) (1)



## Step 1 — Battery



- Place the laptop with the battery facing up.

⚠ Make sure the laptop is powered off and unplugged.

## Step 2




- Unlock the clips by pulling towards the open lock.

## Step 3




- Hold the unlock clip while pulling the battery away from the laptop.

## Step 4 — Screen




- Use the screwdriver to unscrew 18 screws.
- Remove the back cover of the laptop.

## Step 5



- Remove the screw from the metal hinges in the top corners of the laptop as shown in the picture.

## Step 6



- Disconnect the white plug with red and black wires located on the right-most upper corner with the chrome hinges pointed farthest away from you.

## Step 7



- Remove the chrome hinges using the blue prying tool. The hinges should pop right off without much effort.

## Step 8



- Remove the screws located underneath the hinges.

## Step 9



- Using tweezers, remove the plastic caps from the top edge of the laptop screen, located near the front-facing camera. All but the cap closest to the camera should be removed.

## Step 10





- Remove the screws located underneath the plastic caps.

## Step 11



- Snap the laptop screen casing off.

## Step 12



- Disconnect the grey mesh wire from underneath the unattached laptop screen.

To reassemble your device, follow these instructions in reverse order.