iFIXIT

Xiaomi Mi Note Battery Replacement

This guide will show you how to properly remove and replace your battery.

Written By: Mark Sears

INTRODUCTION

Use this guide to replace your Xiaomi Mi Note's battery.

🔧 TOOLS:

- Suction Handle (1)
- Metal Spudger (1)
- Phillips #000 Screwdriver (1)
- Spudger (1)

This document was generated on 2020-03-25 03:42:49 PM (MST).

© iFixit — CC BY-NC-SA   www.iFixit.com   Page 2 of 5

Step 1 — Battery

- Use your suction cup to grip the back of the phone. Once the suction cup is secure, pull back with moderate force and the back plate should snap free.

Step 2

- Once the back plate is off you will need to detach the frames that hold in the battery. Locate and remove the screws (Screws are marked in the image). You can then pull the frame off with ease once the screws have been removed.

- Remove the six 3.5mm Phillips #000 black screws using a securing part of the back panels.

- Remove the seven 2.5mm Phillips #000 black screws securing part of the back panels.

- Remove the five 2mm Phillips #000 silver screws securing the remaining back panels.

This document was generated on 2020-03-25 03:42:49 PM (MST).

Step 3

- Use a nylon spudger to pry upwards to detach the ribbon that's connecting the battery to the motherboard.

Step 4

- Insert a nylon or metal spudger underneath the battery at any point. Then slide the spudger around all the edges to loosen it. The battery can now be easily lifted out of the frame.

- ⓘ Glue will be holding down the backside of the battery.

This document was generated on 2020-03-25 03:42:49 PM (MST).

To reassemble your device, follow these instructions in reverse order.

This document was generated on 2020-03-25 03:42:49 PM (MST).