



Yujin Robot iCLEBO Arte Main Brush Replacement

This guide will demonstrate the proper technique for removing and replacing the main brush for the vacuum.

Written By: Trent Treiber



INTRODUCTION


This guide will demonstrate the proper technique for removing and replacing the main brush for the vacuum.



PARTS:

- [Yujin Robot iClebo Arte Role Brush](#) (1)
-

Step 1 — Dust Bin



- Remove the dust bin by gently pressing the silver button on top of the vacuum until the bin releases.

Step 2




- Grip the bottom of the dust bin. Push up on the tabs as indicated by the yellow arrows.
- Empty contents of bin into waste receptacle and rinse with water as needed.

Step 3 — Main Brush




- Flip over the device to access the brush cover.
 - To remove the brush cover, push together the two snap releases on the right and left sides of the cover until it releases.
- ⚠ Do not push the release snaps too close together. Doing so may cause them to break and the brush could fall out when in use.

Step 4



- Grip the left side of the brush with the square end-piece and pull up until the brush pops out.

Step 5



- When preparing a new brush, it is very important to make sure that the new one is equipped with the proper end-pieces.
- Take the round metal piece and slide it into the square rubber coating. Then, stick it on the end with the metal peg.

To reassemble your device, follow these instructions in reverse order.