



iPhone 8 Plus Battery Replacement

Prerequisite-only guide for the updated iPhone 8 Plus battery removal/replacement procedure.

Written By: Jeff Suovanen



INTRODUCTION

Prerequisite-only guide for removing the battery in the iPhone 8 Plus.

TOOLS:

- [Tweezers](#) (1)
- [iOpener](#) (1)

Step 1 — Battery



i The iPhone 8 Plus's battery is secured by four pieces of stretch-release adhesive—two at the top, and two at the bottom.


- Each piece of adhesive has a black pull-tab at the end, which is lightly adhered to the front surface of the battery.

Step 2



- Peel back the first battery adhesive tab from the bottom right edge of the battery.
- ⚠** If possible, use your fingernails or blunt tweezers. Be careful not to poke the battery with any sharp tools.

Step 3




⚠ Try to keep the adhesive strips flat and unwrinkled during this procedure; twisted or wrinkled strips will stick together and break instead of pulling out cleanly.

⚠ Additionally, do not press down on the battery as you pull the strips. Pressing on the battery creates pressure points that can snag and break the adhesive.

- **Slowly** pull one battery adhesive tab away from the battery, towards the bottom of the iPhone.
- Pull steadily, maintaining constant tension on the strip until it slips out from between the battery and the rear case. For best results, **pull the strip at as low an angle as possible**, without snagging it on any of the iPhone's other components.
- **i** The strip will stretch to many times its original length. Continue pulling and re-grab the strip near the battery if necessary.
- If the battery adhesive tabs break during the removal process, use your fingers or blunt tweezers to retrieve the remaining length of adhesive, and continue pulling.

⚠ If any of the adhesive strips break underneath the battery and cannot be retrieved, try to remove the remaining strips, and then proceed as instructed below.

Step 4



- Repeat the above steps to remove the remaining three adhesive strips.
⚠ Be sure to hold onto the battery as you remove the final strip, or it may fling out of the iPhone unexpectedly.
- If you removed all of the adhesive strips successfully, skip the next step.
⚠ If any of the adhesive strips broke off underneath the battery and could not be retrieved, **continue with the next step below.**

Step 5



- If any of the adhesive strips broke off and the battery remains stuck to the rear case, [prepare an iOpener](#) or use a hair dryer to heat the rear case directly behind the battery. This will help soften the adhesive.
- ⚠ Heat the iPhone until the rear case is slightly too hot to comfortably touch. Don't overheat the iPhone, or you may accidentally ignite the battery.
- Flip the iPhone back over and thread a strong piece of string (such as dental floss or a length of thin guitar string) underneath the battery.
- Pull the string from side to side in a sawing motion all along the length of the battery to separate the adhesive. **Do not deform or damage the battery.**
- To protect your fingers, wear gloves or wrap the string ends around a tool (such as the two screwdriver handles shown in the image).

⚠ If you choose to use pry tools to lift the battery out of the iPhone, use extreme caution or you may damage the ribbon cables or the wireless charging coil directly underneath the battery.

Step 6



- Remove the battery from the iPhone.
- If your replacement battery came in a plastic sleeve, slide off and remove the sleeve before installation.
- If your new battery doesn't have adhesive preinstalled, refer to [this guide](#) to replace the adhesive strips.
- Perform a [force restart](#) after reassembly. This can prevent several issues and simplify troubleshooting.

To reassemble your device, follow these instructions in reverse order.