

# Delete Trust Category

---

## OPERATING INSTRUCTIONS

**Copyright**

© Ericsson AB 2014, 2015, 2016. All rights reserved. No part of this document may be reproduced in any form without the written permission of the copyright owner.

**Disclaimer**

The contents of this document are subject to revision without notice due to continued progress in methodology, design and manufacturing. Ericsson shall have no liability for any error or damage of any kind resulting from the use of this document.

**Trademark List**

All trademarks mentioned herein are the property of their respective owners. These are shown in the document Trademark Information.



# Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
1.1	Prerequisites	1
<b>2</b>	<b>Procedure</b>	<b>3</b>



Delete Trust Category



# 1 Introduction

This document describes how to delete a trust category, which is a group of trusted certificates.

A trusted certificate can belong to multiple trust categories.

## 1.1 Prerequisites

This section describes the prerequisites, which must be fulfilled before using the procedure.

### 1.1.1 Conditions

The following conditions must apply:

- The user has the System Security Administrator role.
- All Managed Object (MO) references to the *TrustCategory* MO to be deleted are deleted.
- An Ericsson Command-Line Interface (ECLI) session in Exec mode is in progress.



Delete Trust Category



## 2 Procedure

To delete a trust category:

1. Navigate to the *CertM* MO, for example:

```
>dn ManagedElement=NODE06ST, SystemFunctions=1, SecM=1
, CertM=1
```

2. List the trust categories:

```
(CertM=1) >show
```

The following is an example output:

```
CertM=1
[...]
    TrustCategory=aurora
    TrustCategory=polaris
[...]
```

3. Enter Config mode:

```
(CertM=1) >configure
```

4. Delete the *TrustCategory* MO, for example:

```
(config-CertM=1) >no TrustCategory=polaris
```

The attributes belonging to the targeted trust category are deleted.

5. Commit the change:

```
(config-CertM=1) >commit
```

6. Verify that the *TrustCategory* MO has been deleted:

```
(CertM=1) >show
```

The following is an example output:

```
CertM=1
[...]
    TrustCategory=aurora
[...]
```