



Huawei P8 Lite Battery Replacement

Guide to safe replacement of P8 Lite battery unit.

Written By: Brett Anderson



INTRODUCTION

This guide has been replaced by an [iFixit created guide found here](#).

This guide will instruct step-by-step how to disassemble the P8 Lite and replace the battery. A [breakdown kit](#) and a replacement battery will be required. Review the device [Teardown Guide](#) to get started.

TOOLS:

- [Phillips #000 Screwdriver \(1\)](#)
- [Spudger \(1\)](#)
- [T5 Torx Screwdriver \(1\)](#)
- [Tweezers \(1\)](#)
- [SIM Card Eject Tool \(1\)](#)
- [64 Bit Driver Kit \(1\)](#)

PARTS:


- [Huawei P8 Lite Replacemet Battery \(1\)](#)

Step 1 — Remove Back Cover and Loudspeaker



- Use the [Spudger tool](#) to get access to the loudspeaker. **Locate** where the headphone jack is, then move about one-inch to the right and begin to **gently pry** the back-cover off the phone with the flat end of the Spudger tool. Make sure to **pry apart the entire perimeter** of the back-cover to prevent bending/cracking of the plastic.
- Tools used: [Spudger tool](#) (used as a wedge to pry off the back-cover and loudspeaker.)

Step 2



- Remove three silver Phillips 000 screws.
- Remove three T5 Torx screws.

Step 3



- **Gently**, use the flat end of the [Spudger tool](#), or a metal opening tool to **lift** and **remove** the loudspeaker from the phone. The loudspeaker is the entire portion of the phone where the screws were extracted.

Step 4 — Replace Battery



- **Locate** adhesive strip underneath the battery and **grip** with your thumb and forefinger. **Slowly pull** on the adhesive strip until it's off to **release** adhesive securing battery.

Step 5



- Insert the [Spudger tool](#) underneath the battery **multiple times** to separate the adhesive securing the battery. **Be careful** not to bend the battery and lift it from the phone frame.

 [Replace the adhesive](#) and [insert the replacement battery](#) into the slot.

To reassemble your device, follow these steps in reverse order.